RUDNEVA, A.V.; MALYSHEVA, T.Ya.; SOKOLOV, G.A.; GUL'TYAY, I.I.; Prinimali uchastiye: GALATONOV, A.L.; GAMAYUROV, A.I.; BABARYKIN, N.N.; KOSTIN, I.M.

Changes in the material composition of industrial sinter along the cake height. Stal' 22 no.1:5-9 Ja '62. (MIRA 14:12)

1. Institut metallurgii imeni A.A. Baykova (for Rudneva, Malysheva, Sokolov, Gul'tyay). 2. Magnitogorskiy metallurgicheskiy kombinat (for Galatonov, Gamayurov, Babarykin, Kostin).

(Sintering)

ZUDIN, V.M.; YAKOBSON, A.P.; KOSTIN, I.M.; GALATONOV, A.L.; GAMAYUROV, A.I.; TSVERLING, A.L.; MALYSHEVA, T.Ya.; SOKOLOV, G.A.; RUDNEVA, A.V.; TSYLEV, L.M.; GUL'TYAY, I.I.

Effect of the sintering temperature on the mineralogical composition of sinter and its metallurgical properties. Stal' 23 no.6:481-485 Je '63. (MIRA 16:10)

1. Magnitogorskiy metallurgicheskiy kombinat i Institut metallurgii im. A.A.Baykova.

AKATOV, A.I.; KOSTIN, I.M.

Ways of improving the operation of an ore washing and dressing plant. Gor. zhur. no.2263-66 F '65. (MIRA 18:4)

1. Vsesoyuznyy nauchą issledovatel skiy i proyektnyy institut mekhanicheskoy obrabotki poleznykh iskopayemykh, Leningrad (for Akatov). 2. Magnitogorskiy metallurgicheskiy kombinat (for Kostin).

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825220004-8"

VARLAMOV, N.A.; KOSTIN, I.M., kand. tekhn. nauk; SHOKHIH, V.P., kand. tekhn. nauk

Centrifugal dressing of exidized iron ores in hydraulic cyclones. Biul. tekh.-ekon. inform. Gos. nauch.-issl. inst. nauch. i tekh. inform. 17 no.8:7-8 Ag 164.

(MIRA 17:11)

KOSTIN, Ivan (selo Shpit'ki, Kiyevo-Svyatoshinskogo rayona, Kiyevskaya ovlast')

A collective farm orchard. Nauka i shvttia 8 no.11:42-44
N '58.

(Kiev--Svyatoshino District--Fruit culture)

SOLOV'YEV, V.V., kandidat sel'skokhozyaystvennykh nauk; KOSTIN, I.S., kandidat tekhnicheskikh nauk.

Effectiveness of saturation irrigation and organomineral fertilizers for winter wheat in the trans-Volga region. Dokl.Akad. sel'khos. 21 no.5:40-42 '47. (MERA 9:8)

 Engel'sskaya opytno-meliorativnaya stantsiya. Predstavlena akademikom A.W. Kostyakovym. (Volga Valley--Wheat) (Irrigation) (Fertilizers and manures)

Kostin, I. s.		10 g m + 0 < c	~ ************************************	: 0 : d
		UBSN/Geophysics - Canals (Contd) vill be irrigated. In Dec 50 the Soviet speeded up construction of the Volga-Don ship-going canal and irrigation of land in the Rostov and Stalingrad resions. Maps show reservoirs, dams, power plants, areas to be irrigated, afforestation along the canals, forest belts, and railroads in Stalingrad.	Describes past and present (1598 - 1951) attempts and proposals to connect the Volga and Don Rivers. Maps show locations of canals planned in 1950 by the Soviet of Ministers USSR. In Aug 50 the Soviet decreed construction on the Volga of the Kuybyshev and Stalingrad Hydroelec Power Plants of total output of 2:1010 kwh, by which 14 billion hectares of kolkhoz and sovkhoz land along the Volga and Caspian 186730	UMAR/Geophysics - Canals "Union of the Volga and Don Rivers," Cand Tech Sci "Gidrotekh i Meligrat" No 6, pp 3-16
		e oph to b to b to b	hopes how ed co talir 2:1	rech recki
		ysic riga on of ps sl	past loca loca cor mstr mstr Q10	the Sci
		ted. the land land low r igat	and to contion Mini Mini Mini Mini Mini Wini Wini Wkho;	Fig.
		In Volume	presonned soft soft of the sof	MA/Geophysics - Canals mion of the Volga and I and Tech Sci idrotekh 1 Meligrat" No
		ophysics - Canals (Contd) Irrigated. In Dec 50 the Soviet speeded tion of the Volga-Don ship-going canal and in or of land in the Rostov and Stalingrad r Maps show reservoirs, dams, power plants, be irrigated, afforestation along the forest belts, and railroads in Stalingrad	sent came came USS the the c Po	1 Doz
		ontd on the on show oston s, du resta	(159 ie Vo R. Vol Wer 14	1 Riv
		he Sonip-g	98 - 1951) olga and h olganned in In Aug 50 lga of the Plants of billion h the Volga	3-1
		oviet coing l Sta powe in alo	1951) and Ir the for h for h	. ⊢
		spe can ling r pl r pl tali	ntt) on H 195 the Kuy tot ecta	.
:	186730	Jun 51 eded up all and all and red re- ants, he	1951) attempts and Don Rivers. and I po By by lug 50 the Soviet of the Kuybyshevits of total outlion hectares of Volga and Caspia. 186730	Jun 51 , attm,
	Ď.	A Be		
				renner er 144 en 1944 eta artariak 125 4 En 1945 eta artariak

KOSTEN, I.S.

Irrigation

Better use of reservoirs for irrigation. Les. i step! h, ne. 9, 1952.

9. Monthly List of Russian Accessions, Library of Congress, DECEMBER 1952, Uncl.

- 1. KOSTIN, I. S.
- 2. USSR (600)
- 4. Saratov Province Rice
- 7. Rice in the Transvolga region. Dost. sel'khoz. no. 5, '52.

9. Monthly List of Russian Accessions, Library of Congress, January 1953. Unclassified.

- 1. KOSTIN, I. S.
- 2. USSR (600)
- 4. Irrigation
- 7. Seasonal regulation of reservoirs and a variable system of irrigation, Gidr. i mel., 5, no. 3, 1953.

9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

KOSTIN, I.S.: SYRKIN, V.G.

Some economical problems of corn irrigation. Zemledelie 4 no.6: 76-79 Je 156. (MLRA 9:8)

1. Engel'skaya opytno-meliorativnaya stantsiya. (Corn (Maise)) (Irrigation farming)

70371 N. 7. 5. Sold Virey, V. V., Sand. Agri. Sei., and ROSTIN, 1. 3., Sand. Tech. Sei.

"Effektivnost' vlagozaryadochnogo orosheniya i organo-mineral'nykh udobreniy pod ozimuyu pshenitsu v usloviyakh zavolzh'ya", Dokl. vses. ord. Lenina akad. Sel'skokh. nauk im. 7. I. Lenin, no 5, pp 40-42, 1956.

KOSTIN, I.S.

Irrigation practices. Zemledelie 26 no.3:39-40 Mr '64.

(MIRA 17:4)

1. Direktor Engel'sskoy opytno-meliorativnoy stantsii,
Saratovskoy oblasti.

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825220004-8"

(MIRA 18:7)


System of irrigation as related to ground water balance.

1. Engel'sskaya opytno-meliorativnaya stantsiya.

Gldr. i mel. 17 no.5:5-12 My 165.

CHUMAREV, V.M.; OKUMEV, A.T.; DOMONENKO, P.A.; KOSTIN, I.Ye.

Effect of enriching the blow by oxygen on the rate of zinc and lead sublimation from slags (industrial testing). TSvet.met. 38 no.7:41-46 Jl '65. (MIRA 18:8)



KOSTIN, K. (Moskva)

All-in-one roof and walls. Tekh.mol. 29 no.8:15 '61.
(MIRA 14:11)

(Domes)

KOSTIN, K.

Organizing continuous maintenance of automotiles. Avt.transp. 40 no.4:19-21 Ap '62. (MIRA 15:4)

1. Leningradskiy filial Nauchno-issledovatel'skogo instituta avtomobil'nogo transporta.


(Automobiles—Maintenance and repair)

KOSTIN, K., inshener.

Stand for the hydraulic testing of cylinder blocks. Avt. transp.
42 no.9:33 s '54.

(Gas and oil engines—Testing)

(MIAL 7:11)




Frogressive methods in bank work. Den. i kred.15 no.1:40-43 Ja 157.

(Bank and banking)

Questions and answers. Okhr.truda i sots.strakh. 3 no.3:67-68
Mr '60.

(Women--Employment)

(Employees, Dismissal of)



Kostin, K. Resping records on payments to machine-tractor station workers. Bukhg. uchet. 15 no.11:23-26 M *56. (MERA 9:12) (Machine-tractor stations--Accounting) (Wages)

KOSTIN, K.A., starshiy insh.; SAHKHASH'YAN, G.N., otv. za vypusk; KOGAN, L., tekhn.red.

[Equipment for the maintenance and repair of automobiles] Prisposobleniis dlia tekhnicheskogo obslushivaniis i remonta avtomobilei; is opyta raboty 2-go Leningradskogo avtobusnogo parka.

Moskva, Nauchno-tekhn.isd-vo avtotransp. lit-ry. No.5. 1957.
19 p. (MIRA 12:5)

。 10.11 12.11

1. Moscow. Gosudarstvennyy vsesoyusnyy nauchno-issledovatel skiy institut avtomobil nogo transporta. Leningradskiy filial.
2. Leningraskiy filial Nauchno-issledovatel skogo instituta avtomobil nogo transporta (for Kostin).

KOSTIN, K., inzhener.

Eliminate losses caused by producing minor parts in automotive transportation units. Avt. transp. 35 no.8:7 Ag '57. (MIRA 10:9)

(Automobiles--Maintenance and repair)

KOSTIN, K.A., starshiy insh.; ZUBKOVA, L.A., otv. za vypusk; ZUYEVA, N.K., tekhn.red.

[Making rubber parts for the M-20 "Pobeda" automobile; practices of the Leningrad Automobile Repair Plant] Izgotovlenie detalei iz reziny dlia avtomobilia M-20 "Pobeda"; iz opyta raboty Leningradskogo savoda po remontu legkovykh avtomobilei. Moskva, Mauchno-tekhn. izd-vo avtotransp.lit-ry, 1958. 14 p. (MIRA 12:6)

1. Moscow. Nauchno-issledovatel'skiy institut avtomobil'nogo transporta. 2. Leningradskiy filial Nauchno-issledovatel'skogo instituta avtomobil'nogo transporta (for Kostin).

(Automobiles--Equipment and supplies) (hubber goods)

というとう まとうにつうがんだい でんぱん ないかい はんない はいない はいない はいまま はまける はまける はままままれる

KOSTIN, K.

Peroidicity in the maintenance of "Volga" automobiles. Avt. transp. 38 no.10:22-23 0 '60. (MIRA 13:10)

1. Leningradskiy filial Nauchno-issledovatel skogo instituta avtomobil-nogo transporta.

(Automobiles -- Maintenance and repair)

20.000 mg 10.000 mg 1

KOSTIN, K.A., inzh.; BOKHAN, I.T., inzh. Prinimali uchastiye: TSIKUN,D.S., tekhnik; TSAGOYKO, N.V., tekhnik; FILIN, A.G., red. izd-va; GALAKTIONOVA, Ye.N., tekhn. red.

[Technical charts for the maintenance of the M-21A automobile, "Volga"] Tekhnologicheskie i postovye karty tekhnicheskogo obsluzhivaniia avtomobilia M-21 "Volga." Moskva, Avtotransizdat, 1961. 150 p. (MIRA 15:1)

1. Moscow. Nauchno-issledovatel'skiy institut avtomobil'nogo transporta. Leningradskiy filial. 2. Otdel tekhnicheskogo obsluzhivaniya i remonta Leningradskogo filiala Nauchno-issledovatel'skogo instituta avtomobil'nogo transporta (for Kostin, Bokhan).

(Automobiles-Maintenance and repair)

THE CONTROL OF THE CO

DEMCHENKO, V.S.; KOSTIN, K.A.

Methods for evaluating the economic effect of the use of oil additives. Khim. i tekh.topl.i masel 7 no.3:36-41 Mr '62.

(MIRA 15:2)

(Lubrication and lubricants...Additives)

KOSTIN, K.

Suggesting a central lubrication system for "Volga" automobiles. Avt. transp. 41 no.1:20-22 Ja '63. (MIRA 16:2)

1. Leningradskiy filial Nauchno-issledovatel'skogo instituta avtomobil'nogo transporta.

(Automobiles-Lubrication)

Unite for the lubrication of motor vehicles. Avt.transp. 41 no.2:25-26 F '63. (MURA 16*2)

(Motor vehicles-Lubrication)

KOSTIN, Konstantin Aleksandrovich, Printell uchastiye: BOKHAN, I.T., inzh.; TSIKUN, D.S., tekhnik. GRINBERG, P.I., red.; BODANOVA, A.P., tekhn. red.

[Maintenance of M-21 "Volga" automobiles in automotive transportation units] Tekushchii remont avtomobilei M-21 "Volga" v avtokhoziaistvakh. Moskva, Avtotransizdat, 1963. 47 p. (MIRA 16:6)

(Automobiles -- Maintenance and repair)

KOSTIN, Konstantin eleksandrovich; TSIKUN, Daniil Sergeyevich; KONCNOVA, V.S., red.

[Technical repair-shop cards for the maintenance of units of the M-21 "Volga" automobiles] Tekhnologicheskie postovye karty na tekushchii remont agregatov avtomobilei M-21 "Volga," Moskva, Transport, 1965. 164 p. (MIRA 18:7)

KOSTIN, K.T.		7	NET-COM	C Q	PA (1/49TF2
1 49	Types of Vertical Hydrogenerators of the Elektrospherat' Plant," Z. B. Heyman, K. F. a. Engineers, "Ural Elektrospherat" Plant, Electro-Prom" Ho 3	four series of hydrogen- y, VCS-2-325, VCS-3-260 and vertical type, now manufactured capparat" Plant, These	d) Mar 49	y used at USSR hydroelectric at stations for electrifica Gives illustrations and data on hydrogenerators.	41/49F22
USSR/Electricity Generators Electric Equipment	"Four Types of Vertical Inger Elektrosparat' Pu Kostin, Engineers, "Ural 6 pp	Completely describes four selectors VGS-1-325, VGS-2-YGS-4-213 of the vertical the "Ural Elektroapparat"	URSR/Electricity (Contd)	generators are widely used stations, especially at station of agriculture. Gives tables of technical data or	
					•
					•

KOSTIN, K. F., Eng.

USSR/Electricity - Generators, Hydroelectric Industrial Production

Jul 50

"Hydroelectric Generators for Rural Electrification," Z. B. Neyman, K. F. Kostin, Engineers, Sverdlovsk

"Elektrichestvo" No 7, pp 16-23

Details technical and economic characteristics of four types of Ural-series hydroelectric generators, VGS-1-325, VGS2-325, VGS-3-260, and VGS-4-213. Authors received Stalin prize forworking out constructional data for these machines. Compares Uralseries hydroelectric generators with those of the General Electric Company, and claims Soviet product is superior. Figures quoted were supplied by "Uralelektroapparat" Plant.

PA 164T12

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825220004-8"

GVOZDEV, V.S.; VAKHRAMEYEV, B.A.; GERMAN, A.L.; KOSTIE, K.F.

[Equipment of agricultural hydroelectric stations] Oborudovanie sel'skokhosiaistvennykh gidroelektricheskikh stantsii. Sverdlovsk, Gos.nauchno-tekhn. izd-vo mashinostroit. i sudostroit.lit-ry [Uralo-Sibirskoe otd-nie] 1953.

(MIRA 6:12)

(Hydroelectric power stations)

्य ख	· · ·	CONTRACTOR IN CO	AL ASSESSMENT OF THE PARTY OF T
3 -	FOOTH LETWING A WAS INSTITUTED IN	∓/5 7 2 : 332	
		735.941 .K3	
	ROSTIN, ROSSIARTE FINOROVICE.	• 4. 0	
	Vertik: l'nyve gidrogeneratory dlya sel'skikh GES (V	ertical hadmanlic	
	generators for rural hydro-electric stations) Hosbuc, O	osenerwoizdat. 1955	
	126 p. Illus., diagrs., tables		
			-
1			
-			
n 250 (S.S.) 200 (S.S.)			

KOSTIN. K.F. inshener.

Hydraulic generators for the Kama Hydroelectric Power Station. Vest.elektroprom. 27 no.11:30-35 N 156. (MLRA 9:12)

1. Zavod "Uralelektroapparat."
(Electric generators) (Eama Hydroelectric power station)

PHASE I BOOK EXPLOITATION 479

Bezrukov, V.M.; Glukh, Ye. M.; Kostin, K.F.; Neyman, Z.B.; Fishler, Ya. L.; Chetchuyev, G.A.

Ural'skiy zavod elektromashinostroyeniya (The Ural Electrical Machine-building Plant) Moscow, Mashgiz, 1957. 125 p. (Series: Iz istorii mashinostroyeniya na Urale, vyp. 7) 4,000 copies printed.

Tech. Ed.: Dugina, N.A.; Editorial Board of Series: Aleksandrov, A.I., Candidate of Technical Sciences; Bogachev, Doctor of Technical Sciences; Volškov, A.A., Candidate of Historical Sciences; Dovgopol, V.I.; Kozlov, A.G., Senior Scientific Worker, Archives Dept.; Sustavov, M.I., Engineer.

PURPOSE: This book is intended for engineers, technicians and scientists. It can also be of use to students, agitators, propagandists and machine-building workers.

Card 1/3

The Ural Electrical Machine-building Plant 479

COVERAGE: The book contains a brief history of the construction and development of the Ural-Electrical Machine-building Plant and a detailed description of the progress achieved in designing and building various kinds of machinery including water-wheel generators, a-c and d-c electrical machines, transformers, high-voltage equipment, mercury-arc rectifiers and machines for the electrification of the national economy. Plans for the future development of the plant and of the production of the electrical industry in general are also discussed. The book is the seventh issued in the series "Iz istorii mashinostroyeniya na Urale" (History of Machine-building in the Urals) which will contain a total of ten books. No personalities are mentioned. There are no references.

TABLE OF CONTENTS:

Foreword 3

Ch. I. Construction and Development of the Plant 5

Card 2/3

The Ural Electrical Machine-building Plant 479	
Ch. II. Ural Water-wheel Generators	15
Ch. III. Improvement of Electrical Machinery	38
Ch. IV. Development of Transformer Construction at the Plant	60
Ch. V. Production of Mercury-arc Rectifiers	77
Ch. VI. High-voltage Systems	96
Ch. VII. On a Scientific Basis	115
Ch. VIII. Work, Study and Leisure	121
AVAILABLE: Library of Congress JJP/ksv 8-5-58	
Card 3/3	

GYOZDEV, Vlas Semenovich, kand.tekhn.nauk; VAKHRAMEYEV, Boris Alekseyevich, inzh.; GERMAN, Avraem L'vovich, inzh.; KOSTIN, Konstentin Pedorovich, inzh.; LEVINTOV, Semuel' Davidovich, kand.tekhn.nauk; TARASOV, A.S., inzh., retsenzent; YERMAKOV, N.P., tekhn.red.

[The equipment of rural hydroelectric power plants] Oborudovanie sel'skikh gidroelektricheskikh stantsii. Izd. 2-oe, perer. Pod. obshchei redaktsiei V.S.Gwozdeva. Moskva, Gos.nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1957. 423 p. (MIRA 11:2) (Hydroelectric power stations)

SOV/110-58-12-1/22

Kostin, K.F., Engineer and Neyman, Z.B., Engineer **▲UTHOR:**

15 Years of Hydro-Generator Manufacture at the Uralelektroapparat Works (15 Let gidrogeneratorostro-TITIE:

yeniya na zavode "Uralelektroapparat")

PERIODICAL: Vestnik Elektropromyshlennosti, 1958, Nr 12, pp 1-7 (USSR)

Hydro- generator production commenced in the Urals in ABSTRACT: 1943 and at present the "Uralelektroapparat" Works

manufactures machines in ratings from 160 to 36000 kW for voltages of 400, 6300 and 10500 V at speeds of 68.5 to 600 rpm and is designing others with outputs of some hundreds of megawatts per unit. A photograph of the first hydro-generator manufactured at the works in 1943 is reproduced in Fig 2; it is a 1200 kW, 6300 V,

150 rpm machine for the Alapayevskaya station, where it is still working. At that time the urgent need for new equipment was met by a standardised series of hydrogenerators developed for cheap and easy manufacture.

The works designed and manufactured five standardised series of vertical hydro-generators with outputs from 160 to 4000 kW, running at speeds of 100 to 428 rpm.

The main characteristics of the five series are briefly

Card 1/4

SOV/110-58-12-1/22

· 15 Years of Hydro- denerator Manufacture at the Uralelektroapparat Works

described. All were designed for automatic control and, due to various revel features, were much lighter than previous machines of similar output. A photograph of a typical hydro generator of the first series is shown in Fig 3. In addition to the standard series, individual designs were produced from 1946. In this year two hydro generators were manufactured each with an output of 14,400 kW at 10,500 V at a speed of 150 rpm. A special feature of these machines is a cooling system in which the coolers are located in the corners of the square stator frame. Machines of the overhung construction were designed primarily for the use with Kaplan turbines. For instance, a 20-MW, 150 rpm machine of the overhung type with one guide bearing has a total weight of 265 tons, which is 40 tons less than the corresponding machine of suspended type construction, and the height is 1.5 m less. More extensive use is being made of constructions in which the turbine and generator have a common shaft and the thrust bearing

Card 2/4

SOV/110-58-12-1/22

15 Years of Hydro-Generator Manufacture at the Uralelektroapparat Works

is mounted on the turbine casing, the principle is used for the 21 MW, 125 rpm sets for the Kamskaya Station. This type of construction is illustrated in Fig 5. The turbine and generator are still further unified in a horizontal shaft type of machine in which the generator rotor is shrunk on to a wheel that supports the turbine blades whilst the water flows within the rotor. Although these turbines have not performed very well in service, because of a number of constructional defects, their design was a progressive step. In all the machines manufactured in recent years there is only a main exciter and no auxiliary exciter. Methods adopted to improve the mechanical stability of generators running at 300 to 600 rpm are described and illustrated in Fig 6. A number of constructional details that have been developed in recent years are mentioned with particular reference to cooling braking and bearings. The typical lubrication system is briefly described. The works played an active part in the design of alternators for the Volga Power Station imeni Ienin

Card 3/4

SOV/110-58-12-1/22

15 Years of Hydro-Generator Manufacture at the Uralelektroapparat Works

in which ionic exciters were used with success. At the present time the works is designing hydro-generators of some hundreds of megawatts for the Krasnoyarsk Station and their construction is briefly described. The total weight of these machines will be about 1,900 tons and the efficiency 98.25%. There are 7 figures.

SUBMITTED: 30th June 1958

Card 4/4

8(5) MITHOR: Kostin, K. F., Engineer

SOV/105-59-7-1/30

TITLE:

Development of Hydraulic Power Construction at the "Uralelektroament"

Works (Razvitiye gidrogeneratorostroyeniya na zavode

"Uralelektroapparat")

PERIODICAL:

Elektrichestvo, 1959, Nr 7, pp 1 - 8 (USSR)

ABSTRACT:

On July 15, 1959 it was 25 years since the plant had been founded, and 16 years since the first hydraulic power generators had been built. The first hydraulic power generators (HG) were built in 1943 and were erected at the Alapayevskaya GES (Alapayevsk Hydroelectric Power Plant). They have a power output of 1200 kw. In 1947 14.5 km hydraulic power generators were supplied to the Shirokovakaya GES

(Shirokovskaya Hydraulic Power Plant), and from 1953 to 1956,23 of such generators of 21 Mw each were supplied to the Kamskaya GES (Kama Hydroelectric Power Plant), and in 1958 one of 36 Mw for the Chir-Turtskaya GES (Chir-Yurt Hydroelectric Power Plant). At present, HG having a power output of 160 to 36000 km for voltages of 0.4, 6.3, 10.5 kv at from 68.5 to 600 rotations per minute are being produced, and HG having a power output of up to 300 km are being projected. The machines were in all cases built according to the plans designed by the works themselves in accordance with the

Card 1/3

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825220004-8"

Development of Hydraulic Power Generator Construction at the SOV/105-59-7-1/30 "Uralelektroapp@rat" Works

latest developments in the USSR as well as in other countries. Construction of HG at the "Uralelektroapparat" plant developed in two directions: series- and single production. A short survey is given of both. Five Beries of HG with vertical axis and a power output of 160 to 4000 km, both automatically- and hand-operated, are produced. Several standardizations are mentioned. Standardization of individual building groups was maintained for machines of more than 4000 kw. 68 individual types were produced, which are all fitted with automatic control. They have a complete lubrication system and are water-cooled. Several constructional features are described. A survey is given of large hydraulic power plants intended to be built. Hydraulic power generators of 300 Mm at 100 revolutions per minute are planned for the Krasmoyarskaya GES (Krasnoyarsk Hydraulic Power Plant). Finally, ways and means of reducing costs are pointed out. The following measures are mentioned: Reduction of the maximum number of revolutions, which, in some cases amounts to up to 300% of the nominal figure: limitation of the moment of inertia; reinforcement of thrust bearing on the turbine lid, one single turbine shaft to the upper end of which the generator-rotor is fitted; production of inexpensive insulation

Card 2/3

Development of Hydraulic Power Generator Construction at the SOV/105-59-7-1/30 "Uralelektroapparat" Works

materials; intensification of the cooling of winding elements; ion-excitation in the case of machines below 100 Mw. There are 4 figures and 1 table.

ASSOCIATION:

Zavod "Uralelektrospparat" ("Uralelektrospparat" Plant))

SUBMITTED:

March 16, 1959

Card 3/3

SOV/110-59-7-7/19 Kostin, K.F., Engineer AUTHOR:

Thrust Bearings for Large Hydro-alternators (Podpyatniki TITLE: dlya moshchnykh gidrogeneratorov)

PERIODICAL: Vestnik elektropromyshlennosti,1959 Nr 7,pp 32-35 (USSR)

ABSTRACT: The article opens with a general account of thrust bearings for hydro-alternators. At present, three designs of thrust bearing are used on large hydroalternators, namely: a) two rows of rigidly supported pads, each pair of pads resting on a rocking support, as in Fig 1; b) a single row of pads resting on rigid supports with screw adjustment (Fig 2); c) a single row of pads with hydraulic support and automatic equalisation of the loading of each segment (Fig 3). It is commonly assumed that the pads are accurate to 0.02 - 0.03 mm and that this accuracy is maintained in operation. however, irregular heating causes much greater deformation. Moreover, the white-metal surface becomes deformed in service. Operating experience shows that with the first two types of construction described, the specific loading should not exceed 40 - 45 kg/cm2 and if loadings of 60 - 65 kg/cm² are used the bearings are

Card 1/3 unreliable. The single and double-row designs are

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825220004-8

Thrust Bearings for Large Hydro-alternators SOV/110-59-7-7/19

equivalent and are satisfactory for loads up to 2000 tons. They are however unlikely to be suitable for higher loads than this or for loadings greater than 40 - 45 kg/cm². The requirements are best met by thrust bearings using hydraulic support with thin pads resting on large trapezoidal cushions. These bearings can operate reliably at loadings of 60 - 80 kg/cm². The first bearing of this type has been used successfully since 1954 with a total load of 1500 tons and a loading of 60 kg/cm2. It was tested under various conditions at loadings up to 80 kg/cm². Specimens designed for a total load of 2000 tons and loading of 60 kg/cm² have been working for about 2 years at a Siberian hydro-electric power station. They have given very satisfactory service. bearings the load on each pad is automatically equalised; there is little thermal distortion because the bearing surface is thin, and erection is simple. Standard parts

are used, so there will be no special difficulty in making Card 2/3 bearings of 5000 - 6000 tons load with loadings of

SOV/110-59-7-7/19
Thrust Bearings for Large Hydro-alternators
70 - 80 kg/cm².
There are 3 figures and 1 Soviet reference.

Card 3/3

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825220004-8"

S/193/60/000/011/013/022 A004/A001

AUTHOR:

Kostin, K. F.

TITLE:

A Hydraulic Generator of 150 Megawatt

PERIODICAL: Byulleten' tekhniko-ekonomicheskoy informatsii, 1960, No. 11,

TEXT: In 1960 the "Uralelektroapparat" Plant built a hydraulic generator 150 megawatt power for the "San'myn'sya" power station (Chinese People's Republic) on the Hwang Ho river. The generator is intended to operate in combination with a vertical hydroturbine manufactured by the Leningradskiy metallicheskiy zavod im. Stalina (Leningrad Metallicheskiy Plant im. Stalin). The hydraulic generator is devised for a voltage of 15,750 v, a speed of 100 rpm and has an efficiency of 986. The generator is of the vertical umbrella-shaped type, with one guide bearing placed in the central part of the upper cross piece. Apart from the generator three electric machines are seated on the common shaft: the exciter, the subexciter and a regulating generator. In an assembled state the generator weighs 1,200 tons, the rotor has a weight of 600 tons. The rotor diameter is 11,900 mm. The outer diameter of the stator body is 14.5 m, while the height of the assembled

Card 1/3

A Hydraulic Generator of 150 Megawatt

S/193/60/000/011/013/022 A004/A001

generator amounts to approximately 10 m. Ventilation is effected in a closed cycle. The air is cooled by a water air-cooler flanged on to the stator body. The oil- and water-coolers are of a special design, which makes it possible to clean them without stopping the running unit. Besides, the design of the air coolers provides for the possibility of carrying off the heat not by water but by leading it directly into the Freon air coolers. The weight of the revolving parts of the assembly, i. e. generator rotor, shaft, turbine wheel, and also the water pressure on the turbine runner are taken up by a step bearing located in the lower load-carrying cross piece. The step bearing, an original design of the "Uralelektroapparat" Plant, has hydraulic bearings with automatic load balancing on each static segment. The total load on the step bearing amounts to 2,000 tons, while the specific loads amount to 65 kg/cm². The machine has no solid shaft, but the hollow rotor bushing made of steel possesses on the upper and lower ends hollow extension pieces of welded cast steel. Thus the shaft is replaced by the rotor bushing which is simultaneously the bushing of the step bearing. The air pressure produced by the ventilators comes up to 70 - 75 mm water column, compared to 30 - 40 mm water column in similar generators, which ensures increased cooling. The generator control is fully automated, but an auxiliary manual control is provided for. About 90% of the welded structures of the generator were produced

CIA-RDP86-00513R000825220004-8" APPROVED FOR RELEASE: 06/14/2000

,一个人,我们就是我们就是我们的人,我们就是我们的人,我们们们就是一个人,我们们们就是这个人,我们也没有一个人,我们们也没有一个人,我们们也会会会会会会会会会,

KOSTIN, K.F., inzh.

Manufacture of hydrogenerators by the "Uralelektroapparat" factory. Vest. elektroprom. 34 no.2:8-13 F '63. (MIRA 16:2) (Electric equipment industry) (Turbogenerators)

Use of small cranes in the installation of large hydrogenerators. Elek. sta. 34 no.7:74-75 Jl 163.

(MIRA 16:8)

KOSTIN, K.F., inzh.

Principal trends in the hydraulic turbine-gener or industry in the Urals. Plektrotekhnika 35 no.9:2-4 S '64.

MIRA 17:11)

WOSTIN, Kh.).

PISKUNOV, V.Ya., inshener.

"Scrapers in hydrotechnical construction." D.I.Irodov, Kh.I.Kostin, Reviewed by V.IA.Piskunov. Gidr.i mel.6 no.4:63-64 Ap '54. (MLRA 7:5)

(Scrapers) (Irodov, D.I.) (Kostin, Kh.I.)

一个人,我们就是我们的对象,我们就是我们的,我们就是一个人的,我们就是我们的的,我们就是我们的,我们就是我们的,我们就是我们的,我们就是我们的,我们就是我们的, 一个人,我们就是我们就是我们就是我们的,我们就是我们就是我们就是我们的,我们就是我们就是我们就是我们的,我们就是我们的,我们就是我们就是我们的,我们就是我们就是

KOSTIN, K. I.

KOSTIN, K. I.: "The effect of privious cyclic stresses on the bearing capacity of sturctural steel." Min Higher Education Ukrainian SSR. Odessa Polytechnic Inst. Chair of Machine Parts. Odessa, 1956. (Dissertation for the Degree of Candidate in Technical Science.)

Knizhnaya letopis', No. 31, 1956. Moscow.

OLEYRIE, N.V., hand. whn.nauk, dots.; KOSTIN, K.I., kand. tekhn.nauk; PRONIE, V.H., kand. tekhn.nauk, dots.

Fatigue resistance of shafts with lateral holes subjected to hending. Nauch.dokl.vys.shkoly; mash.i prib. no.2:33-38 (MIRA 12:10)

1. Predstavleno Penzenskim industrial nym institutom. (Strength of materials)

では、100mmでは、100mmである。 100mmである。 100mmである。 100mmである。 100mmである。 100mmである。 100mmである。 100mmである。 100mmである。 100mmである。

OLEYNIK, N.V.; KOSTIN, K.I.

Role of stress concentrations caused by repeated underloading of metals. Nauch.dokl.vys.shkoly; mash. 1 prib. no.1:78-84 (MIRA 12:8)

1. Stat'ya predstavlena Pensenskim politekhnicheskim institutom. (Strains and stresses)

KOSTIN, K.K.; SOTNIKOV, V.P.

Mechanization of counting and checking operations in the Novosibirsk Post Office. Vest. sviazi 22 no.1:27-28 Ja '62.

(MIRA 14:12)

- 1. Nachal'nik Novosibirskogo pochtamta (for Kostin).
- 2. Glavnyy bukhgalter Novosibirskogo pochtamta (for Sotnikov).
 (Novosibirsk—Postal service)

KOSTIN, K. M.

4631. Kak my vyrashchivayem vysokiye vstoychivyyee vrozhay. (Kolkhoz im. lenina, pucheshskogo rayona). Ivanovo, km. 12D., 1954. 36 2. 20 cm. (Vchastniki Vsesoyas. S-Kh Vystavki). 5.000 eks. 45 K. - (54-58350) p. 631 ct (47.361)

SO: Letopis' Zhurnal'nykh Statey, Vol. 7, 1949

Mostin, L.

Distribution according to work in a socialist society. Sov. profsoiumy 1 no.2:64-72 0 '53. (MIRA 6:12) (Wages)

KOSTIN, L.

Soviet trade unloss in the effort to increase labor productivity.

Sots. trud 8 no.10:3-12 0 63. (MIRA 16:12)

1. Prorektor Moskovskoy vysshey zaochnoy shkoly professional'nogo dvizheniya Vsesoyuznogo tsentral'nogo soveta professional'nykh soyuzov.

	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		
Kosti	N, L.		
	Fifty thousand copies of a useless pamphlet ("Why should labor productivity grow faster than wages" by A.Gringaus. Reviewed by L.Kostin). Sov.profsoiusy 7 no.9:61-62 My 159.		
	(MIRA 12:8) (Labor productivity) (Gringaus, A.)		
		·	
		·	
		•	
		•	
		•	
The Store of Association of the			

[Material encouragement of technological progress] Material noe stimulirovanie teknnicheskogo progressa. Moskva, Znanie, 1965. 46 p. (Novoe v zhizni. nauke, tekhnike. III Seriia: Ekonomika, no.21)

(MIRA 18:10)

KOSTIN, Leonid Alekseyevich; FILATOVA, I.T., red.

[Trade unions and labor productivity during the period of the building of communism] Profsoiuzy i proizvoditel nost truda v period postroeniia kommunizma. Moskva, Profizdat, 1964. 175 p. (MIRA 17:5)

KOSTIN, Leonid Alekseyevich, kand.ekon.nauk; GORODENSKIY, L.M., red.; ZHERREVSEAYA, I.I., tekhred.

[Hidden potentialities for the increase of labor productivity in industry; using the example of the R.S.F.S.R.enterprises]
Rezervy rosta proizvoditel nosti truda v promyshlennosti; na primere predpriiatii RSFSR. Moskva, Ob-vo po rasprostraneniiu polit. i nauchnykh snanii RSFSR, 1959. 51 p. (MIRA 13:2)

(Labor productivity)

KUDRYAVTSEV, A.S., prof., doktor ekonom. nauk, zasl. deyatel' nauki i tekhniki RSFSR; IYASNIKOV, I.A., dots.; KOSTIN, L.A., dots.; PUNSKIY, Ya.M., prof.; PETROCHENKO, P.F., kand. ekonom. nauk; GUR'YANOV, S.Kh., dots.; KURKIN, N.I., st. prepodavatel'; KOTOV, F.I., dots.; REMIZOV, K.S., kand. ekonom. nauk; POIYAKOV, I.A., starshiy prepodavatel'; HEZRUKOV, B.W., retsenzent; KOPILOVA, L.P., red.; ANDREYEVA, L.S., tekhn. red.

[Labor economics in the U.S.S.R.] Ekonomika truda v SSSR. 2., perer. izd. Moskva, Izd-vo VTsSPS Profizdat, 1961. 623 p. (MIRA 15:2)

(Labor and laboring classes)


There is plenty for us to do. Sov.profsoiuzy 7 no.9:39-42 Hy 161. (MIRA 14:4)		
(Trade upions)	(Labor productivity)	(Socialist competition)
	•	
		1

KOSTIN, L.A.; KUZNETSOV, P.V., red.; PONOMAREVA, A.A., tekhn.red.

[Flanning labor productivity in industrial enterprises]
Planirovanie proisvoditel'nosti truda na promyshlennykh
predpriiatiakh. Moskva, Gos.izd-vo planovo-ekon.lit-ry,
1961. 77 p.

(Iabor productivity)

(Iabor productivity)



APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825220004-8"

KOSTIN. L.D.

Let's increase the role of the public in landscaping Moscow. Gor. khoz. Mosk. 35 no.4:22-23 Ap '61. (MIRA 14:5)

1. Insturktor Otdela gorodskogo khozyaystva Moskovskogo gorodskogo komiteta Kommunisticheskoy partii Sovetskogo Soyuza.

(Moscow-Landscape architecture)

Districts' competitions in public services. Gor.khoz.Mosk. 36
no.6:37-38 Je '62. (MIRA 15:8)

1. Moskovskiy gorodskoy komitet Kommunisticheskoy partii
Sovetskogo Soyusa.
(Moscow—Landscape architecture)

KOSTIN, L.D. Advanced practices in garbage removal. Gor. khom. Mosk. 36 (MIRA 15:12) (Refuse and refuse removal)

SEROVATIN, Andrey Ivanovich; KOSTIN, L.G., redaktor; LIBERMAN, S.S., redaktor; ANDREYEV, S.F., teknnicheskiy redaktor.

[Methods of calculating principal and secondary equipment of rolling mills] Metodika rascheta osnovnogo i vspomogatel'nogo oborudovaniia prokatnykh tsekhov. Khar'kov, Gos.nauchno-tekhn.isd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1955. 105 p. (MLRA 9:4)

(Rolling mills)

KOSTIN, L.G., kandidat tekhnicheskikh nauk

"Calculation of basic and conveyor equipment in rolling mills."

A. I. Serovatin. Reviewed by L.G. Kostin. Stal' 15 no.7:671-672

J1 '55. (MLRA 8:9)

1. Khar'kovskiy politekhnicheskiy institut.
(Rolling mills)

BEL'GOL'SKIY, Boris Petrovich; STAROSEL'SKIY, Angtoliy Lazarevich; KOSTIN,
L.G., otvotstrennyy red.; SINYAVSKAYA, Ye.K., red.izd-va;
AMDREYEV, S.P., tekhn.red.

[Increasing the productivity of rolling mills] Povyshenie proisvoditel'nosti prokatnykh stanov. Khar'kov, Gos. nauchno-tekhn.isdvo lit-ry po chernoi i tavetnoi metallurgii, 1957. 183 p.

(Rolling mills)

(NIBA 11:4)

"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825220004-8

KOSTIN, L-G.

137-58-2-2893

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 2, p 98 (USSR)

AUTHOR:

Kostin, L.G.

TITLE:

Determining Energy Expenditure and Metal Flow in Certain Types of Forging (K voprosu ob opredelenii usiliy i istecheniya metalla

pri nekotorykh vidakh kovki)

PERIODICAL: Tr. Khar'kovsk. politekhn. in-ta, 1957, Vol 11, pp 95-106

ABSTRACT:

An analysis is made of the formulas deduced by Ye.P. Unksov for calculating the changes of shape and expenditures of energy in the upsetting that occurs in slitting dies and in forging done on

underlay hold-down rings.

Ye.L.

1. Motals—Forging—Mathematical analysis

Card 1/1

KOSTIN, L.G.

137-58-2-2896

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 2, p 99 (USSR)

AUTHOR:

Kostin, L.G.

TITLE:

On the Use of Reference Coordinate Grids (O metode koordinatnoy

setki)

PERIODICAL: Tr. Khar'kovsk. politekhn. in-ta, 1957, Vol 11, pp 117-119


ABSTRACT:

Grid coordinates afford an accurate reflection of metal forgings only in the case of a unidirectional deformation. To avoid error in the case of a complex deformation it is recommended that reference grids be applied to only very small quantitative steps of the deformation.


Ya.O.


1. Metals-Deformation

Card 1/1



• ÷.	ż		ykh priborov es Accessories 131	ding AS 134	Ther kor went of	ultural ration and sat of 148	akenemii Mi meess of intro- 156	82	. Conceb- 164	Prospects or Economic 170		Problems 180	
		50X/5293	aved kentrel'no-ismeritel'n nt)]. The Development of K t-Engineering Parametern	S UkrSSR, Institute of Four Fethods Into Founding	e Pachanical Section of the Topimical Lavel and Develo	the Administration of Agric rkhos]. Trends in Pechani .ion of the Yemiscturing C	Elences at the Institut SERN To Economic Effective	SOV/5293	w Polytechnical Institute]	olytechnical Institute].	r Polytechnical Institute]. of Forgings	r Polyterbaical Institute]. Equipment	
		Problems of Machine Building (Cont.)	Didanko, K.I. [Chief Designer at the Zaved kontrol'no-limeritel'spth priborov (Control- and Measuring-instructs Plant)]. The Development of Key Accommonies for the Measurement and Control of Heat-Engineering Peramoters	Greathor, A.A. [Corresponding Namber 45 UkreSN, Institute of Feunding AS present; Its Introduction of Advanced Nathods Into Founding	Apator, D.I. [Chief Fetallurgist of the Fechanical Eaction of the Ebartor, Sovantine]. Fethods for Eatsing the Tolinical Lavel and Development of Sovantine	Major, Inj. [Chief Motallurgist for the Administration of Agricultural Major, Building at the Pharkov Sovarthos]. Treads in Mechanisation and Automation in Foundries and the Reduction of the Marwischuring Cost of Castors	Darchank, P.F. [Candidate of Economic Eciences at the Institut ekonomis Unress Destitute of Economics AS (PreSSN)] In Economic Effectiveness of ducing New Methods in Feunding	Problems of Machine Building (Cont.)	Lawitally, P.A. [Docant at the Rhar'how Polytechnical Institute]. fration and Specialization in Founding	Instin, L.C. [Docart at the Rharkov Polytechnical Institute]. Prospectory Torres Introduction of Die Politic Into the Mills of the Charkov Economic Baston	Rhodosko, D.L. (Docent at the Khar'kov Polytechnical Institute). For Reducing the Manufacturing Cost. of Forgings	Falldan, I.I. [Dozent at the Darltow Polytochnical Institute]. In the Modernization of Press-Porging Populman:	AVILLBIE: Litrary of Congress
		Problems	Didenko, 1 (Control-	Corahkov, irensial.	Apatov, D Sovnarkho Wennithe	Machine B Machine B Automatio Camtings	Dharehenk Ukrasa dusing M	Problem	Levitskiy	,	Khodosko, Yor Redu	Fel'dan	AVIITBII





KUSHNER, KH. F.; KOSTIN, L. G.; DO BRYNINA, A. YA; ZUBAREVA, L. A.; SALGANIK, M. G.; SAMOLETOV, A. I.

"The Use of Small Doses of Gamma-Radiation for the Improvement of Some Commercial Qualities of Hens"

Report Submitted for the Twelfth World's Poultry Congress, Sydney, Australia 10-18 Aug 1962

KOSTIN, L.G., inzh.; ZABRODSKIY, D.A., inzh.; ZORIN, S.V., inzh.; BUCHEK, L.T., inzh. SANZHAREVSKIY, O.G., inzh.

Rolling of fastening parts. Mashinostroenie no.6:67-68 N-D '64 (MIRA 18:2)

。 一定,一个大学,我们就是我们的人,我们就是我们的人,我们就是我们的人,我们就可以给你的人,我们就可以会会的人,我们就是我们就是我们就是我们就是我们的人,我们

DERBAREMDILER, M.I.; SEREBRENNIKOVA, K.L.; TERNOVSKIY, V.A.; Frinimali uchastiye: SHAROV, P.M.; NOVIKOV, L.Z.; LUR'YE, E.I.; PIS'MEN, M.K.; KARABIN, A.I. [deceased]: KOSTIN, L.I.; FROLOV, V.P.; MEDVEDEV, F.V.; GELIMKHANOV, S.G.; BONDAR', V.G.; TIMOFEYEV, P.I.; MIN'INA, L.V.; ARBEKOV, F.F.; NIKOLAYEV, N.I.; YAROSLAV, T.Ye.; NUDEL'MAN, V.G.

Gasification of mazut under pressure in a steam-oxygen blast.

Gaz. prom. 9 no.11:49-50 '64. (MIRA 17:12)

37245 \$/148/62/000/003/010/011 \$\langle \text{g} \text{E073/635}

AUTHORS: Belyatskaya, I.S., Kostin, L.K., Livshits, B.G.

TITLE: The influence of the K - state on the creep strength

of nickel-chromium base alloys

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Chernaya

metallurgiya, no. 3, 1962,135

TEXT: Earlier investigation of the authors of this paper showed that a nickel base alloy containing 15.8% Cr; 1.99% Ti; 1.78% A1; 5.22% W; 0.26% V; 3.89% Mo; 1.39% Fe; 0.05% B; 0.09% C had a time-to-failure twice as long after additional treatment for the K - state than the same specimens after standard heat treatment. However, no such an improvement in properties occurred in the nickel base alloy containing 14.55% Cr; 1.93% Ti; 1.93% A1; 5.52% W; 0.25% V; 3.40% Mo; 1.08% Fe; 0.005% B; 0.07%C. Two heats of the alloy 3 M 617 (EI 617) subjected to a heat treatment as proposed by the authors were also investigated for creep The specimens of one of the heats were additionally treated to achieve the K - state and, after being tested for creep strength for a period twice as long as specimens subjected Card 1/2

ASSOCIATION: Moskovskiy institut stall (Moscow Steel Institute)

SUBMITTED: January 1962.

Card 2/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825220004

KETOV, A.N.; PECEKOVSKIY, V.V.; ECCTIN, I.P.

Investigating the interaction of cadmium oxide with various chlorination agents. Izv. vys. ucheb. zav.; tsvet. met. 7 no. 4: 107-111 164 (MIRA 19:1)

1. Permskiy politekhnicheskiy institut, kafedra tekhnologis neorganicheskikh veshchestv.

KETOV, A.N.; PECHKOVSKIY, V.V.; KOSTIN, L.P.

Chlorination of magnesium oxide. Zhur. neorg. khim. 9 no.2: 467-469 F'64. (MIRA 17:2)

VMYSBISH, S.; ROCHKO, V.; VINOGRADOV, S., red.; KOSTIN, M., red.

[Long step toward the great goal, 1959-1965] Krupnyi shag k velikoi tseli, 1959-1965. Gospolitizdat, 1958. 1 v. (unpaged)
(Russia--Economic policy) (MURA 12:2)

RUD', O.; KOSTIN, M.

Machine tool for molding "woodstone" slabs. Bud. mat. 1 konstr.

4 no.2:59-60 Mr-Ap '62. (MIRA 15:9)

(Floors)

CHIZHOV, D.G.: KOOTEV, G.I.; LAVRENENKO, K.D.; SPIRIN, S.A.; NEKRASOV, A.M.;
IVANOV, M.I.; UPAYEV, M.Ya.; GRISHIN, I.K.; KOSTIN, M.F.; POPOV, V.A.;
ZAGGRODNIKOV, P.I.; FEDOTOV, P.N.; KAZ'MIN, A.V.; FORICHEV, G.I.;
YERSHOV, P.I.; MESHCHERYAKOV, V.I.; TEFREMOV, S.G.; LEVIN, I.S.;
LETUCHEV, L.I.; BELKIN, M.N.; OBOLONKOV, M.I.; BATRNIN, B.A.;
BUR'YANOV, B.P.; KANATOV, P.I.; KOKOREV, S.V.

Nikolai Alekseevich Andreev, Elek. sta. 27 no.10:62 0 '56.

(Andreev, Mikolai Alekseevich, 1897-1956) (MLRA 9:12)

IOSTIM, M.I., inshener; ARVAN, M.B.

The ME-1-M multi-bucket trench cutting machine. Mekh.stroi.4
no.2:5-6 F '47. (MLRA 9:2)

1. Minstroydormash.
(Excavating machinery)

The EN-18 multibucket excavator with lateral ladling.
Mekh.stroi. 4 no.3:15-16 Mr. 47. (MIRA 9:2)

1.Mindstroydormash.
(Excavating machinery)

BORODACHEV, I.P., kandidat tekhnicheskikh nauk; GARBUZOV, Z.Ye., inshener; redaktor; GORCKHOV, B.N. laureat Stalinskoy premii, inzhener; KOSTIN, M.I., inzhener; POPOV, N.I., inzhener; PRUSSAK, B.N., inzhener; SHIMANOVICH, S.V., inzhener; PETERS, Ye.R., kandidat tekhnicheskikh nauk, retsenzent; KRIMERMAN, M.N., inzhener, redaktor; MODEL', B.I., tekhnicheskiy redaktor.

[Machines for constructing irrigation systems] Mashiny dlia soorusheniia orositel'nykh sistem. Pod red. Z.B.Garbuzova. Moskva, Gos.nauchno-tekhn.isd-vo mashinostroitel'noi lit-ry, 1951. 236 p. (MLRA 9:1)

(Irrigation)

CHERESHNEY, V.A., inzhener; KOSTIN, M.I., inzhener.

Effective means for the mechanization of earthwork in railroad construction.

Mekh.stroi. 10 no.8:9-11 Ag '53.

(Railroads--Earthwork) (Earth-moving machinery)

THE STATE OF THE CONTROL OF THE STATE OF THE

KOSTIH, M.I.; SHIMANOVICH, S.V.; VERZHITSKIY, A.M., inzhener, retsensent; BOYKO, A.G., inzhener, redaktor; TIKHONOV, A.Ya., tekhnicheskiy redaktor.

[Excavating machinery; handbook] Ekskavatory; spravochnik. Moskva, Gos. nauchno-tekhn. isd-vo mashinostroit. i sudostroit. lit-ry, 1954. 493 p. (NLEA 7:10)

(Excavating machinery)

KOSTIN, M.T.

USSR/Miscellaneous - Excavators, Design and construction

Card 1/1 : Pub. 70 - 4/9

Authors

Kostin, M. I., Engineer

Title

1 The E-151 hydraulic excavator with a 0.15 m3 bucket

Periodical

1 Mekh. stroi. 3, 17-19, March 1954

Abstract

The design and construction of a hydraulically operated E-151 excavator with a 0.15 m³ capacity bucket are described. The kinematic scheme of the excavator is presented. The technical characteristics of the E-151 construction excavator, mounted on a GAZ-63 truck, are listed. Drawings; illustrations.

Institution :

Submitted